

Parallel adjust hydraulic press MW-SKEV 150

Press force	15 000 KN
Press speed	max. 60 mm
Closing speed	max. 30 mm/sec.
Min. tool height	400 mm

Max. tool height (calculated by following point).

max. way open	2 100 mm
less press speed, for example	40 mm
less needed place for part taken out, for example	<u>300 mm</u>
amount a result of max. tool high	1 760 mm

Hydraulic connection

Stäubli SBA 087 103	plug
SBA 081 103	coupling


Connection heat and cooling system

Water	Hasco Z811/R3/4"
Oil	Ermeto 15 -L

Presstable dimension

2500 x 2000 mm

Arrangement «T-Nuten» for tool fixation at the presstable



Heating Condition

Reinhard hot air oven

Max. utilise oven belt wide	1 000 mm
Max. utilise oven belt length	3 800 mm
Cycletime	from case to case
Temperature range	up to +280°C
Pick and place	manual or automatic systems

Infrared heating

Contact heating

Heating area	600*1 300 mm
--------------	--------------

Technikum tools

1 flat plate tool	800*800 mm
1 flat plate tool	400*400 mm
1 tool with moveable inserts	800*200 mm

Temperature heating & cooling system

2 pieces single temperature equipment	medium water (45 KW)
2 pieces single temperature equipment	medium oil (32 KW)

Slitter

Max. cutting length	2 000 mm
---------------------	----------